

INDEX OF CTL / ECS OSM-LUM DECISION SHEETS

DECEMBER 2009

(Luminaires Parts 2 / Components)

CTL-ETF5 (LITE - SAFE)

LUMEX INTERPRETATION PANEL

OPERATIONAL STAFF MEETING LUMINAIRES

<i>No.</i>	<i>SUB-CLAUSE</i>	<i>SUBJECT</i>
<u>IEC/EN 60598-2-2</u>		
501/06	2.11 - 8	IP protection of recessed luminaires
502/06 + Fig.	2.11	Consideration relevant to built-in components
503/06	2.11	Luminaire with R7s / RX7s lamp cap
504/06	Annex D	Test recesses in a luminaire with separate parts

IEC/EN 60598-2-3

505/06	3.6.3	Wind force test
506/06	3.6.3.1 – 5.6.5.1	Wind force test

IEC/EN 60598-2-4

507/06 + Fig.	General	Christmas decoration light
508/06	Definitions	Portable luminaires, garden luminaires and lighting chains
596/07	4.6.3	Stability test
509/06	4.12	Floor luminaire with R7s halogen lamp

IEC/EN 60598-2-5

510/06	General	Applicable standard
--------	---------	---------------------

410/06 ECS OSM/LUM	General	Floodlight with special lamp
-------------------------------------	---------	------------------------------

[IEC/EN 60598-2-6](#)

512/06	General	Applicability of IEC 60598-2-6
513/06	General	Transformers to be used

[IEC/EN 60598-2-7](#)

514/06 + Fig.	7.13	IP classification for portable pedestal luminaires
---------------	------	--

[IEC/EN 60598-2-8](#)

515/06	8.6.6.1	Mechanical strength for handlamps
516/06	8.10–5.2.14–0.5.2	IP 55 handlamp

[IEC/EN 60598-2-10](#)

517/06 + Fig.	General	Examples of luminaires
518/06 + Fig.	General	Portable luminaires for children - example
519/06	10.1.1 - General	Scope of application
597/07	10.1.1	Luminaires with two-dimensional graphic reproductions of persons or animals (real or imaginary) on removable shades

[IEC/EN 60598-2-12](#)

0705/08	12.3.1	Definition of nightlights
0708/08	12.6.5	Plug in nightlight – changing the lamp
595/07.m	12.6.8	Child-appealing motives on mains socket outlet mounted night light

[IEC/EN 60598-2-13](#)

0706/08	13.5 / 13.13	Marking on ground recessed luminaires
---------	--------------	---------------------------------------

[IEC/EN 60598-2-20](#)

520/06	General	Lighting chain for children
--------	---------	-----------------------------

PDSH 0748 2009	Scope	Portable luminaire or lighting chain
521/06	15 – 5.2.16	Connectors / screwless terminals
522/06	20.4 – 20.4.2	Lighting chain, (indoor or outdoor use)
523/06	20.6	Connections on lighting chains
524/06 + Fig.	20.6.1	E14 lampholder used in lighting chains
525/06	20.6.4	Construction
526/06	20.6.6	Small push in lamp – Small plastic lampholder – Mechanical test
527/06	20.6.7	Lighting chain with more than one loop
528/06	20.6.13	Test conditions for lampholders
	20.11.3	
529/06	20.6.14	Mechanical tests of sealed lighting chains
530/06	20.10.1	Cross sectional area of the conductors
602/07.m	20.10.1	Lighting chains
531/06	20.10.2	Conductors and contacts of lampholders
532/06	20.10.2	Lighting chains
533/06	20.12.3	Filament lamps bridging
534/06	20.12.3 / Tables	Bridging test
	12.1-12.2	
535/06	20.14	High voltage test
536/06	20.15	Temperature for test of flexible pipes of sealed lighting chains

[IEC/EN 60598-2-22](#)

537/06	General	Alternative batteries
538/06	General–Annex A	Batteries
539/06	22.3	Emergency luminaire in two separate parts
598/07	22.4	Classification of self contained emergency luminaires according to the mode of operation
540/06	22.5.2 – Annex B	Marking
541/06	22.5.13	Flux measurement tolerances

542/06	22.6	Self-contained emergency luminaire with several filament lamps
543/06	22.6.2	High frequency data sheets for lamps
544/06	22.6.3	Fuses in the emergency lighting luminaires
545/06	22.6.8 – Annex A	Batteries characteristics
546/06	22.12.6	Additional thermal test with short circuit in battery charger
547/06	22.12.7	Lamps for photometric tests
548/06	22.15	Enclosure of an emergency luminaire
549/06	22.16.1	Rated lumen output for emergency safety sign using LED lamp array as light source
550/06	22.16.5a	Measurement of the colour of self illuminated emergency lighting luminaires with exit legends/pictograms
551/06	22.17.2 – 22.17.3 20	Ballast Lumen Factor (BLF) and flux output measurement after 500 ON-OFF changeover operations
552/06	Annex A – A.4.2	Battery compartment temperature
553/06	A.4.2a) – A.5.2a)	Temperature measurement on the battery

[IEC/EN 60238](#)

554/06	General	Gauges
555/06	General	Lampholder to be built into ovens
599/07	1	General
600/07	8 - 9	Dimensions and protection against electric shock
556/06	12.1	Test method for checking with “feeler gauge”

[IEC/EN 60400](#)

0707/08	17.5	Fire resistance of material retaining live parts in position
---------	------	--

[IEC/EN 60570](#)

557/06	General	Openings for the adaptors
558/06	12	Extra safety circuit equivalent to SELV or double/reinforced insulation

[IEC/EN 60838-1](#)

411/06 ECS OSM/LUM	<i>General</i>	<i>Miscellaneous lampholder – ENEC certification</i>
559/06	General – 4.4	“Special” lampholder

[IEC/EN 60927](#)

560/06	12.1 – 12.2	Endurance test for built-in ignitors in the rectifying test circuit
--------	-------------	---

[IEC/EN 60929](#)

561/06 + Fig.	7	Voltage across lamp during pre-heating time
562/06	Annex A.4 Annex A.4.1	Open circuit voltage measurements

[IEC/EN 60968](#)

563/06 + Fig.	General	Measurement of circuit power factor and supply current
PDSH 0743 2009	General	Self-ballasted LED lamps
PDSH 0749 2009	General	Insulation of LED lamps
PDSH 0750 2009	8	Torque test on energy saving lamp
564/06	1	Scope / Lamp caps

[IEC/EN 60969](#)

565/06	8.4	Lamp current limit for HF lamps with no data for relevant HF reference ballast in data sheets IEC 60081 / 60901
--------	-----	---

[IEC/EN 61047](#)

566/06	7 – 8 - 9	Cables for convertors
--------	-----------	-----------------------

IEC/EN 61048

567/06	4 - 3	Sampling plan	
568/06	17	Use of the previous tested samples	

IEC/EN 61049

569/06	8	Measurement of tangent of loss angle on capacitors	
--------	---	--	--

IEC/EN 61347 Series

570/06	General	Samples selection (family products)	
571/06	7.1	Marking according to the safety requirements	

IEC/EN 61347-1

572/06	General	Applicable standards	
573/06	14.1	Short circuit across creepage distances and clearances	
574/06	Annex 1	Ballast with double or reinforced insulation	
575/06	Annex A	Test to establish whether a conductive part is a live part which may cause an electric shock	
576/06	Annex B	Annex B	

IEC/EN 61347-2-2

577/06	General	Samples selection (family products)	
579/06	14	Temperature on the capacitors	
580/06	Appendix B	Heating test for convertors	

EN 61347-2-3

412/06 ECS OSM/LUM	General	Uncased ballasts, convertors	
413/06 ECS OSM/LUM	7.2	Working voltage measurement	

[IEC/EN 61347-2-7](#)

581/06	Section 6, § 33	Measurement of the ratio of the luminaire flux	
582/06	Section 6, § 38	Battery recharging test	
583/06	15.3	Lamp starting test following 3 x 200 lamp switching	
584/06	19	Lamp operating current waveform	

[IEC/EN 61347-2-8 / IEC/EN 61347-2-9 / EN 60921 / EN 60923](#)

585/06	General	Tolerance on delta T value	
414/06 ECS OSM/LUM	<i>General</i>	<i>ENEC mark on ballast</i>	
586/06	6	Serial compensation for ballast	

[IEC/EN 61347-2-9 / IEC/EN 60921 / IEC/EN 60923](#)

587/06	General	Samples selection (family products)	
588/06	General	Ballast with additional terminals (to reduce the current)	

[IEC/EN 61558-1](#)

601/07	Foreword	The use of the second edition of Part 1 in conjunction with the first editions of various sections of Parts 2	
589/06	3.1.9.1–3.1.11 15.3–15.5-27.3	Heat and fire protection	
590/06	14.2	Temperature of supports for transformers IP 00	
0709/08	15.2	Short circuit and overload protection	
591/06	15.3.2	Short circuit and overload protection	
592/06	17.1.1C – 13.4	Dust test for IP 5X and 6X as described in the transformer standard	
593/06	20.5	Thermal cut-outs	
594/06	26.2	Creepage distances	

IEC/EN 62031

<i>PDSH 0751 2009</i>	<i>General</i>	<i>Insulation requirements</i>	
-----------------------	----------------	--------------------------------	--